

JAPANESE TILE WORLD

CREATING HIGH-QUALITY SPACES THAT RESONATE IN YOUR HEART.

Welcome to the world of JAPANESE TILE

The extensive collection of INAX brand tiles offer traditional and classic designs that take advantage of authentic Japanese styles, as well as sophisticated, stylish tiles for a more modern look. Each and every one of our tiles is created with care and attention to detail, based on the tile technology we have continuously developed and improved since 1924, as well as our rigorous system for quality control. Our uncompromising standards for aesthetics and texture are reflected in the details of our finished products. This Japanese tile brand offers refined techniques and unfaltering quality and helps customers create highquality spaces that resonate in the hearts of those who behold them.





SENTOUSA





HAL-RN/STS-11

HAL-RN/STS-12

HAL-RN/STS-11~STS-13


[size/pc] 235×13 mm

- [size/sht] 237×90 mm
- [thickness] 22 mm
- [quantity/sqm] 46.9 shts
- [quantity/carton] 30 shts

[weight/carton] 18.3 kg

Installation Material and grouting: Adhesive O Mortar × Grouting ×

Note: •Gray net may be visible from between joints. •Colors may vary even within the same batch.



Silicon joint Joint color: Gray

HAL-RN/STS-13



CRESCENT BORDER



DCF-10BNET/CRS-2

DCF-10BNET/CRS-3

DCF-10BNET/CRS-4

DCF-10BNET/CRS-1~CRS-4

[size/pc] 147.5×10 mm [size/sht] 300×150 mm [thickness] 7~22 mm [quantity/sqm] 22.3 shts [quantity/carton] 12 shts [weight/carton] 15.2 kg



Cross section 22 7=

147.5

Net mounted on back Net color: Gray

Installation Material and grouting: Adhesive O Mortar × Grouting ×

Note:

Gray net may be visible from between joints.
Colors may vary even within the same batch.
There may be non-uniform lines on the surface.



YOHEN BORDER



IM-1015P1/YB1H White

IM-1015P1/YB11H

Green Mix





IM-1015P1/YB12H Brown Mix



IM-1015P1/YB22H **Turquoises Blue**



IM-1015P1/YB3H Brown



IM-1015P1/YB14 Dark Green Mix



IM-1015P1/YB31 Light Brown Mix



IM-1015P1/YB4H Black



IM-1015P1/YB15 Dark Blue Mix



IM-1015P1/YB32 Turquoises Green Mix




IM-1015P1/YB21H

Light Turquoises Blue

IM-1015P1/YB102 Yoken White

IM-1015P1/YB1H...YB102

[size/pc] 98×12.5 mm [size/sht] 300×300 mm [thickness]6mm [quantity/sqm] 11.5 shts 300 [quantity/carton] 22 shts [weight/carton] 22.5 kg



Installation Material and grouting: Adhesive $\, {f O} \,$ Mortar $\times \,$ Grouting O Note:

•Color difference may occur between samples and actual batch. •Has color variation. •Water-proofing adhesive is required for bathroom wall installation.









IZM-310/1

IZM-310/2

IZM-310/1~3

[size/pc] 294×94 mm

[size/sht] 300×100 mm

[thickness] 13 mm

[quantity/sqm] 33.4 pcs


[quantity/carton] 33 pcs

[weight/carton] 25 kg

100

Installation Material and grouting: Adhesive O Mortar O Grouting O

Note: •Has color and glaze variation. •Color difference may occur between samples and actual batch.



IZM-310/3





DENT CUBE







1		

DCF-50NET/ DNC-2

DCF-50NET/ DNC-1A


DCF-50NET/ DNC-2A

DCF-50NET/ DNC-1

DCF-50NET/DNC-1~DNC-2

DCF-50NET/DNC-1A~DNC-

[size/pc] 47×47 mm [size/sht] 300×300 mm [thickness] 10 mm,18 mm [quantity/sqm] 11.2 shts [quantity/carton] 10 shts [weight/carton] 18.5 kg Ne



[size/pc] 47×47 mm [size/sht] 300×300 mm [thickness] 10 mm [quantity/sqm] 11.2 shts [quantity/carton] 10 shts [weight/carton] 15 kg Net m



Net mounted on back Net color: Gray

Installation Material and grouting: Adhesive O Mortar ***** Grouting *****

Note:

•Gray net may be visible from between joints. •Colors may vary even within the same batch.





WAVE BORDER









DCF-20BNET/ WAB-1

DCF-20BNET/ WAB-2

DCF-20BNET/ WAB-3

DCF-20BNET/WAB-1~WAB-4

[size/pc] 235×19 mm

- [size/sht] 237×300 mm
- [thickness] 15.5 mm
- [quantity/sqm] 14.1 shts
- [quantity/carton] 12 shts

[weight/carton] 20 kg



Installation Material and grouting: Adhesive O Mortar * Grouting *

Note:

Gray net may be visible from between joints.
Colors may vary even within the same batch.
Powder may fall off when it is scratched.



Net mounted on back Net color: Gray







Street and a street of

14







_	-	-	-	
		-	_	_
-				
		-		
				-
		-	-	
				-
		_	_	

HAL-R/BLD-1


HAL-R/BLD-2

HAL-R/BLD-3

HAL-R/BLD-4

HAL-R/BLD-1~BLD-4

[size/pc] 198×10 mm [size/sht] 200×150 mm [thickness] 30 mm [quantity/sqm] 34 shts [quantity/carton] 10 shts [weight/carton] 7 kg



Net mounted on back Joint color: Gray

Installation Material and grouting: Adhesive O Mortar ***** Grouting *****

Note:

•Gray net may be visible from between joints. •Colors may vary even within the same batch.







	H.	
	-	
1		
1		

and the second s		
And in case of the local division of the loc		and the second s
The second second		
	100	_
the second s	the second s	Sal Landonese
And in case of the local diversion of the local diversion of the local diversion of the local diversion of the		ALC: NAME OF TAXABLE
Companying Manager		-
the second second		
-		10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		-
	second diversion	-
_		-
		a language of
	_	
_	_	_

HAL-R/SKH-1

HAL-R/SKH-2



HAL-R/SKH-3



HAL-R/SKH-4

HAL-R/SKH-5

HAL-R/SKH-1~SKH-5

- [size/pc] 235×14 mm
- [size/sht] 237×300 mm
- [thickness] 14.5 mm,18 mm
- [quantity/sqm] 14.1 shts
- [quantity/sqiii] 14.1 s
- [quantity/carton] 14 shts
- [weight/carton] 19.7 kg

Installation Material and grouting: Adhesive **O** Mortar **×** Grouting **×**

Note:

•Gray net may be visible from between joints. •Colors may vary even within the same batch.




Net mounted on back Net color: Gray






PLATEAU BLOCK









DCF-30NET/PLK-1

DCF-30NET/PLK-2

DCF-30NET/PLK-3

DCF-30NET/PLK-4

DCF-30NET/PLK-1~PLK-4

[size/pc] 28×28 mm [size/sht] 300×300 mm [thickness] 10 mm [quantity/sqm] 11.2 shts [quantity/carton] 12 shts [weight/carton] 15.2 kg



Net mounted on back Net color: Gray

Installation Material and grouting: Adhesive O Mortar × Grouting ×

Note: •Gray net may be visible from between joints. •Colors may vary even within the same batch.





HOSOWARI BORDER

<NORMAL>

		the same of the same in the
	the second se	
	states and the states of the s	the second s
-	Contraction of the local division of the loc	the second se
144000000000000000000000000000000000000	ALC: YOU ALL AND A DESCRIPTION OF A DESC	A COMPANY OF
And in case of the lot	And the second strength of the second strengt	and the second s
COLUMN DESIGNATION NO.	and the second se	Card St. Start on
Colorest Street	distance contained a	And Address of Concerning
1000000000	A CONTRACTOR	the same state of the
THE OWNER WAS ADDRESS	Statement in the	IN PROPERTY OF A
Card and the state of the	A REPORT OF THE PARTY OF THE PA	the state of the
and and and	AND A DESCRIPTION	185 No. 6 10
a design of the second	showing at some a story of	and some state of the
A REPORT OF LAND	And product and the loss	and the lot of the lot of the
and the second second second if we	and the state of t	and the second second

The second se	The state of the second second
And in case of Female and Spinster,	And a second sec
And and a state of the local division of the	and the second se
and the second design of the s	successive and in party of our property of
And in the second se	of the state of th
and the second s	Statistics of the second s
and a second second second	Contraction and an allowed and
A REAL PROPERTY AND A REAL PROPERTY.	CONTRACTOR OF AN ADDRESS
The Party of the P	ALL DESCRIPTION OF THE OWNER
and the second s	the second s
A P.P. Mark Street and Discourses in the	of the second statement of a second statement of
NAMES AND ADDRESS OF TAXABLE PARTY.	And a second second second second
A REAL PROPERTY AND A REAL PROPERTY.	Sector Contractor Sector Sector
22- and and all a second and	the statement of the state
HAL-20BN/HB-5	HAL-20BN/HB-6

200	and the second second second second second
-	Concernence and post of the owner of the
100	THE PROPERTY OF THE PROPERTY OF
	and the second s
	and the second second second
10000	the second se
10000	And the second distance of the second
an Annual State	A REAL PROPERTY AND A REAL PROPERTY.
	Name and Address of the Owner o
	Contractory of the second second second
	NAMES OF TAXABLE PARTY AND ADDRESS OF TAXABLE PARTY.

HAL-20BN/HB-1

<RANDOM>



		PROPERTY OF TAXABLE	
-	AP3041000		
	and the second se		
Statement of the second second		TORUS DOLLARS	
100	Section 1100		
of \$10,000 and \$10,000		Statute and and	1.4
of the Real Property lies,	And in case of the local division of the loc	Constant of Constant	-
ALC: U.S.	No. of Concession, Name	the support of the local diversities.	1
	Providence of		-
The search of the second	Carl And a for the		
No. of Concession, Name	The subscription of the su	ATTACK STA	41.17
100.000	ALC: NOT THE OWNER.	Charling and and	120
No. of Concession, Name	And Press and in case of	the second se	

4		- Arrest	1000
	The subscription of the		_
			_
PL PROFESSION			The Real Property lies
	and sharp and		_
244.00	and in the second second		Contraction of the local division of the loc
-			
-	in the second second		Post in sec
-	Conception of the local division of the		
Antra	Contraction of the local division of the		-
-	And the owner of the		
10 10 10 10	COLUMN TWO IS NOT	100	P. Caluer
-	PATHONNY PROPERTY.		

HAL-20BR/HB-1

- HAL-20BR/HB-5
- HAL-20BR/HB-6

	-	-		-
COLUMN AND ADDRESS OF				
	-	_		
and the Party of Street of Street	a second	100 F 100	and so in some	-
Carl Street	1.241	1000	-	
and the second division of the second divisio	-	-	-	
and other states and	(Party	-	-	
		-	1	-
		-		
	-	and the second second	-	
State and a state	4000	And Address of	Concession of the	2

HAL-20BR/HB-7



[size/pc] 235×19.5 mm

- [size/sht] 237×303 mm
- [thickness] 13.5 mm
- [quantity/sqm] 14 shts
- [quantity/carton] 14 shts
- [weight/carton] 20.5 kg



303

Installation Material and grouting: Adhesive O Mortar × Grouting ×

Note:

•Gray net may be visible from between joints. •Colors may vary even within the same batch. nted on back : Gray



在自身的神经的

YUKI BORDER





	-

IM-1520P1/YKR1

IM-1520P1/YKR2

IM-1520P1/YKR3 IM-1520P1/YKR4

IM-1520P1/YKR1~ YKR4

[size/pc] 145×20 mm [size/sht] 296×292.5 mm [thickness] 8.5 mm [quantity/sqm] 11.9 shts [quantity/carton] 12 shts [weight/carton] 17 kg



Net(Paper) mounted on back Net color: Gray

Installation Material and grouting: Adhesive O Mortar × Grouting O

Note:

•Color difference may occur between samples and actual batch. Has color variation.
Water-proofing adhesive is required for bathroom wall installation.

A NALE







<LINE>



HAL-60B/YMN-1S

HAL-60B/YMN-1T


<WAVE>





60

HAL-60B/YMN-2S



60

291

HAL-60B/YMN-3T

HAL-60B/YMN-3S

HAL-60B/YMN-1S~YMN-3S HAL-60B/YMN-1T~YMN-3T

[size/pc] 297×60 mm


[size/sht] 300×70 mm

[thickness] 15 mm

[quantity/sqm] 48 pcs

[quantity/carton] 34 pcs

[weight/carton] 20 kg



Installation Material and grouting: Adhesive O Mortar × Grouting O

Note:

•Has color and glaze variation.

•Color difference may occur between samples and actual batch.





LUMINOS









HAL-R/LNS-4

HAL-R/LNS-1

HAL-R/LNS-2

HAL-R/LNS-1~LNS-4

size/pc]	235×14 mm 235×18.5 mm 235×25 mm	
size/sht]	237×300 mm	
thickness]	16 mm	300
quantity/sqm]	14.1 shts	
quantity/carton]	12 shts	Ne
weight/carton]	19.4 ka	Ne



t mounted on back t color: Gray


Installation Material and grouting: Adhesive O Mortar × Grouting ×


Note: ●Gray net may be visible from between joints.






LASCAVE





HAL-75H/RSC-1



HAL-75H/RSC-3

HAL-75H/RSC-4

HAL-75H/RSC-5

HAL-75H/RSC-2

HAL-75H/RSC-1~RSC-5

[thickness] 8~14 mm [quantity/sqm] 11.5 shts



Silicon joint Joint color: Gray

Installation Material and grouting: Adhesive O Mortar × Grouting ×

Note: Gray net may be visible from between joints.
Colors may vary even within the same batch.
This product cannot be used with old model.

- [size/pc] 72×72 mm [size/sht] 300×300 mm
- [quantity/carton] 8 shts [weight/carton] 15.5 kg

OMBRE BORDER





[weight/carton] 18.9 kg

DCF-20BNET/OMB-2

DCF-20BNET/OMB-3

DCF-20BNET/OMB-4

Installation Material and grouting: Adhesive O Mortar ***** Grouting *****

Note: •Gray net may be visible from between joints.

DCF-20BNET/OMB	
[size/pc] 235×19.5 mm	
[size/sht] 237×303 mm	۲đ
[thickness] 13.5, 8 mm	
[quantity/sqm] 14 shts	23/
[quantity/carton] 14 shts	

Net mounted on back Net color: Gray



たいいある

町のある

ちちろく

ないのないのである

1

2

	A COLUMN TWO IS NOT		ALC: N 10 10 10 10 10 10 10 10 10 10 10 10 10				TURNED STREET		Manual States and Address	Construction of the	10550 - 19750		100 mm 00		TAURDON STREET, STREET, ST	COLUMN STREET,	Number of Street, or other	
and the second sec	Contraction of the New		And in the local day of			The state of some laws			of the second design and do in the	Company and a subsection of the		and the second se	And a local division of the local division of the		To Distance and Distance (Distance	Superior of the other	Approximation of the state of the state	
COLUMN TWO IS NOT THE OWNER.	and a state of the	The second	and the second se	- No The support of the Association			A TORY IN THE REAL OF	The second se	STREET, ST. 1 Story	second with the second second	8	Contraction of the local distance of the loc		The second se		Conception of the local division of the loca	PROPERTY PROPERTY OF THE PROPE	





GAMON









HAL-40B/GMN-1

HAL-40B/GMN-2

HAL-40B/GMN-3



HAL-40B/GMN-1~GMN-4

- [size/pc] 235×40 mm
- [size/sht] 238×50 mm
- [thickness] 12 mm

[quantity/sqm] 84 pcs

[quantity/carton] 60 pcs

40 12 [weight/carton] 15 kg Loose piece

Installation Material and grouting: Adhesive O Mortar × Grouting ×

Note: •Colors may vary even within the same batch.





FORMAT-MIX





YM-FORM/WH-MIX [MIXED-WHITE] YM-FORM/BL-MIX [MIXED-BLACK]

YM-FORM/WH-MIX·BL-MIX

[size/pc]	100×30 mm 100×50 mm 100×75 mm						
[size/sht]	306×322 mm	322					
[thickness]	7 mm, 9.5 mm						
[quantity/sqm]	10.2 shts	16					
[quantity/carton]	10 shts	306 Net mounted on back Net color: Gray					
[weight/carton]	15 kg						


Installation Material and grouting: Adhesive O Mortar × Grouting × *Designed for open joint installation. But grouting is recommended for bathroom wall installation to avoid joints from being stained or smelling unpleasant.

Note:

•Water-proofing adhesive is required for bathroom wall installation.

Attention:

Please apply each sheet upside down when you apply this FORMAT-MIX. It does not look like the pattern on the photo when all sheets are installed in the same direction and some tile pieces are set in the same straight line.








VISORE





YM-155Z/VIS-12

[BLACK PEARL]



YM-155Z/VIS-13 [BROWN PEARL]



YM-155Z/VIS-21B2

[WHITE PEARL]

YM-155Z/VIS-11

[WHITE PEARL]






YM-155Z/VIS-22B

[BLACK PEARL]



YM-155Z/VIS-23B [BROWN PEARL]

YM-155Z/VIS-11...VIS-23B



Installation Material and grouting:

Adhesive O Mortar × Grouting ×

*Designed for open joint installation. But grouting is recommended for bathroom wall installation to avoid joints from being stained or smelling unpleasant.

Note:

Handle carefully as it is easy to get scratches and stains due to Metallic glazing.
Has color and glaze variation.
Color difference may occur between samples and actual batch.
Water-proofing adhesive is required for bathroom wall installation.





STREAM BORDER

<FLAT>





IM-315P1/IB-1FH [IBUSHI]




IM-315P1/MW-1FH [MATTE WHITE]

IM-315P1/IB-1FH·MW-1FH







Paper mounted on surface

Installation Material and grouting: Adhesive O Mortar O Grouting O

Note:

•Color difference may occur between samples and actual batch.

<ROUND>



IM-315P1/IB-1RH [IBUSHI]



IM-315P1/MW-1RH [MATTE WHITE]

IM-315P1/IB-1RH•MW-1RH




MADOKA-R







IM-45P1/MDK-32 [ORIBE]



IM-45P1/MDK-33 [KAEDE]




IM-45P1/MDK-34 [IRAKA]



IM-45P1/MDK-31~ MDK-35

[size/pc] 45×45 mm [size/sht] 288×288 mm [thickness] 9.5 mm [quantity/sqm] 12.1 shts [quantity/carton] 18 shts [weight/carton] 22.5 kg



Installation Material and grouting: Adhesive O Mortar O Grouting O

Note:

Grouting is necessary for bathroom wall use.
Handle MDK-35 carefully as it is easy to get scratches and stains due to Metallic glazing.
Has color and glaze variation.



-33



RHYTHMIC I





HAL-20B/RYS-2



HAL-20B/RYS-1

HAL-20B/RYS-3

HAL-20B/RYS-1~RYS-3

[size/pc] 225.5×19.5 mm 70.5×19.5 mm [size/sht] 300×300 mm [thickness] 13 mm



Net mounted on back Net color: Gray

Installation Material and grouting: Adhesive O Mortar × Grouting ×

[quantity/sqm] 11.2 shts

[quantity/carton] 12 shts [weight/carton] 21.1 kg

Note: •Gray net may be visible from between joints. •Colors may vary even within the same batch. •This product cannot be used with old model.



Chiba Restaurant Designed by Isabelle Oliveri of Studio IOD Melbourne HAL-30B/CRC-1(Old model)

1

-

RHYTHMICI CROCHET







HAL-30B/RYC-1

HAL-30B/RYC-2

HAL-30B/RYC-3

HAL-30B/RYC-1~RYC-3

[size/pc] 87×27 mm 57×27 mm

- [size/sht] 300×300 mm
- [thickness] 15 mm

[quantity/sqm] 11.2 shts

[quantity/carton] 12 shts

[weight/carton] 22.9 kg

300 300 Net mounted on back Net color: Gray

Installation Material and grouting: Adhesive O Mortar * Grouting *

Note:

Gray net may be visible from between joints.
Colors may vary even within the same batch.
This product cannot be used with old model.




FOUREFLE

<BRIGHT>

[WHITE]








IM-1025P1/FRF-3

[RED]



IM-1025P1/FRF-4 [BLACK]

IM-1025P1/FRF-1~FRF-4





Installation Material and grouting:

Adhesive O Mortar × Grouting ×

*Designed for open joint installation. But grouting is recommended for bathroom wall installation to avoid joints from being stained or smelling unpleasant.

Note:


Has color variation.
 Color difference may occur between samples and actual batch.
 Water-proofing adhesive is required for bathroom wall installation.

[BLUE]





CHOCOLATE







DCF-35NET/CHC-1 DCF-35NET/CHC-2 DCF-35NET/CHC-3

王王王王王王王 王王王	
副加利利用用利用用	
DOE DENIET/CLIC 11	DOF OF LET




DCF-35NET/CHC-11

DCF-35NET/CHC-12

DCF-35NET/CHC-11~CHC-12

[size/pc]	35×35 mm	
[size/sht]	292×292 mm	292
[thickness]	9 mm	
[quantity/sqm]	11.8 shts	
[quantity/carton]	12 shts	292 Net mounted on
[weight/carton]	15 kg	Net color: Gray



Installation Material and grouting:

Adhesive O Mortar × Grouting × *Designed for open joint installation. But grouting is recommended for bathroom wall installation to avoid joints being stained or smelling unpleasant.


Note:

Gray net may be visible from between joints.Water-proofing adhesive is required for bathroom wall installation.



<ROUND>






IM-7530P1/RW-1 [MATTE WHITE]

IM-7530P1/RW-2 [IBUSHI]

IM-7530P1/RW-1~ RW-2

[size/pc] 72×27 mm [size/sht] 300×300 mm [thickness] 7-9 mm [quantity/sqm] 11.2 shts [quantity/carton] 14 shts [weight/carton] 20 kg



Installation Material and grouting: Adhesive O Mortar O Grouting O

Note: •Color difference may occur between samples and actual batch.





CELAVIO G

	-	_
		2
		-
	- 11 - 11 - 11 - 11 - 11 - 11 - 11 - 1	-
		_
- 22	1 312	
		_



300



HAL-25B/CGV-1

HAL-25B/CGV-2

HAL-25B/CGV-3

Net mounted on back

Net color: Gray

HAL-25B/CGV-1~CGV-3

[size/pc] 147.5×22.5 mm [size/sht] 300×300 mm [thickness] 8 mm [quantity/sqm] 11.2 shts [quantity/carton] 15 shts [weight/carton] 19.8 kg

Installation Material and grouting: Adhesive O Mortar × Grouting × Note: • Gray net may be visible from between joints.

•Colors may vary even within the same batch.



